

INDIANA. N & W 2 P. M.



Township N° X North of the Base Line, Range N° II West of 2nd Meridian. Surveyed by Wm Harris, 1816,
The Baron, 1819.

Description of the Soil on the interior Sectional Lines.

The part within Vincennes Dist. contains 19,628.71

Between Sections	Quality &c	Between Sections	Quality &c	Between Sections	Quality &c
25.26	Land Hilly, Decid. Sugar, Poplar, Oak, good farming land.	25.26	Land rolling, Decid. Sugar, Oak, hick, good farming land.	25.26	Good farming land.
25.26	ditto	25.26	ditto	25.26	Good farming land.
25.26	Land Hilly, Oak, Sugar.	25.26	Land rolling, Decid. Sugar & Poplar, middling ditto.	25.26	Land rolling, Decid. Sugar, Poplar, good farming land.
25.26	Low wet bottom, Oak, hick, Decid. Sugar.	25.26	ditto	25.26	ditto
25.26	ditto	25.26	Land rolling, rich soil, Oak, hick, Decid. Sugar, Poplar.	25.26	ditto
25.26	Land rich, timber Oak, Decid.	25.26	ditto	25.26	ditto
25.26	First & middle Hilly, middling, farming land, Oak, hick, Decid. Sugar.	25.26	Land rolling, middling farming land, Oak, hick, Decid. Sugar, Poplar.	25.26	Land rather broken, timber same, middling good farming land.
25.26	ditto	25.26	Bottom, rich soil, Oak, hick, Decid. Sugar, Poplar.	25.26	Land broken - timber same, good soil.
25.26	Carbon, 2nd rate - sugar, hick, Oak, hick, Decid. Sugar.	25.26	Land Hilly, good soil, Oak, hick, Decid. Sugar, Poplar, Walnut.	25.26	Land broken with sink holes - timber same.
25.26	ditto	25.26	Land Hilly, Decid. Sugar, Poplar, middling good farming land.	25.26	Land broken - timber same.
25.26	Land Hilly, rich soil, Oak, hick, Decid. Sugar, Poplar.	25.26	ditto	25.26	East & bottom, rich hilly, middling farming land.
25.26	ditto	25.26	ditto	25.26	ditto
25.26	Land rolling, good farming land, Oak, hick, Decid. Sugar, Poplar.	25.26	Land broken, middling good farming land.	25.26	Land rolling, middling good farming land, Decid. Sugar, Poplar.
25.26	Land Hilly, rich soil, Oak, hick, Decid. Sugar, Poplar.	25.26	Land rolling, good for farming, Decid. Sugar, Poplar.	25.26	ditto
25.26	ditto	25.26	ditto	25.26	Land rolling, Decid. Sugar, Poplar, Oak, good farming land.
25.26	Low wet bottom, timber Decid. Oak, hick, Decid. Sugar.	25.26	Land rolling, rich soil, Oak, hick, Decid. Sugar, Poplar, Walnut.	25.26	ditto
25.26	Rich bottom, Oak, hick, Decid. Sugar.	25.26	Land same - timber Walnut, Oak, hick, Decid. Sugar, Poplar.	25.26	Good rich land.
25.26	Land rolling, rich soil, Oak, hick, Decid. Sugar, Poplar.	25.26	Land, broken - hickory.		
25.26	ditto	25.26	Land Hilly, some Oak, hick, Decid. Sugar.		
25.26	Broken 2nd rate - sugar, Oak, hick, Decid. Sugar.	25.26	Land, rich soil, Oak, hick, Decid. Sugar, Poplar, Walnut.		
25.26	ditto	25.26	Land, rich soil, Oak, hick, Decid. Sugar, Poplar, Walnut.		

IND

22

HQ

Township N. 10 North, Range N. 2 West of 2nd Meridian

Posts	Bearing lines	Inches diam.	Courses	Links
A	Blackberry	12	N 73 W	9
B	do	18	S 73 E	5
C	do	12	S 54 W	11
D	do	7	N 49 E	13
E	Blackberry	14	S 54 E	26
F	do	12	N 57 E	23
G	do	14	S 73 W	12
H	do	12	S 66 E	9
I	Sugar	17	S 46 W	7
J	do	13	N 68 E	15
K	do	32	S 66 W	7
L	do	32	N 49 E	27
M	do	13	N 34 E	10
N	do	16	S 74 W	29
O	do	15	S 55 E	11
P	do	22	N 47 W	27
Q	do	14	N 36 E	10
R	do	18	S 17 W	9
S	do	12	N 34 E	10
T	do	10	S 47 W	12
U	do	10	S 31 E	10
V	do	9	S 30 W	12
W	do	13	S 60 E	15
X	do	13	S 60 W	15
Y	do	12	S 70 E	13
Z	do	11	N 32 E	16
AA	do	12	S 24 E	18
AB	do	4	N 59 W	10
AC	do	5	S 41 W	14
AD	do	18	S 18 E	14
AE	do	6	N 27 E	31
AF	do	12	N 16 W	9
AG	do	14	S 14 W	13
AH	do	13	N 45 E	24
AI	do	12	S 9 E	17
AJ	do	12	S 36 E	17
AK	do	6	N 8 W	26
AL	do	11	N 64 E	27
AM	do	18	S 16 E	33
AN	do	10	N 10 E	34
AO	do	9	S 65 E	32
AP	do	10	N 16 W	-
AQ	Sugar	14	N 40 E	13
AR	do	18	S 4 E	15
AS	do	13	N 42 E	11
AT	do	6	S 23 E	25
AV	do	18	S 14 W	24
AW	do	30	N 67 E	20
AX	do	2	East	14
AY	do	11	N 75 W	15

R to L. First 2 mile. 1000 bottom
East. Hill. good. Soil. Timber.
Beach. Oak.

L to M. High. Hill. land.
Beach. Oak. Walnut.

M to N. Same.

N to O. Good land. Beach.
Oak. Walnut.

O to P. Good land.
Beach. Sugar.

P to Q. Good land. Oak. Beach.

Q to R. Flat. Beach. land. Oak.

R to S. Same.

Anterior Section Corners described


Corners of sections	Bearing lines	Inches diam.	Courses	Links
25.26.33.36	Beach	10	S 45 W	29
25.24.28.26	do	10	N 18 E	23
13.14.17.24	do	48	S 7 E	70
11.12.13.14	do	15	N 74 E	59
1.2.11.12	do	5	N 42 E	42
26.27.34.35	do	12	N 22 W	22
22.23.26.27	do	16	N 31 W	17
14.15.22.23	do	18	S 51 E	17
10.11.14.15	do	14	N 20 W	25
2.3.10.11	do	11	S 75 E	23
27.28.33.34	do	10	N 42 E	20
31.32.37.38	do	4	S 55 W	12
15.16.21.22	do	15	S 73 E	21
9.10.13.14	do	9	N 62 W	21
2.4.9.10	do	11	N 36 E	10
25.26.32.33	do	10	N 64 W	10
20.21.28.29	do	32	S 23 E	12
16.17.20.21	do	7	S 62 W	16
5.9.16.17	do	6	N 66 E	21
4.5.8.9	do	10	N 50 E	15
29.30.36.37	do	3	S 74 W	40
19.20.29.30	do	20	West	12
17.18.20.21	do	17	N 81 E	27
7.8.17.18	do	18	S 72 W	28
5.6.7.8	do	3	N 54 W	3
	do	16	S 40 E	13
	do	12	N 59 E	5
	do	5	S 36 W	17
	do	12	N 36 E	27
	do	8	N 55 E	26
	do	3	S 59 W	23
	do	14	South	20
	do	14	N 19 E	2
	do	7	N 29 W	16
	do	12	S 21 E	37
	do	6	S 71 E	13
	do	14	S 33 W	11
	do	12	N 75 E	13
	do	14	S 20 W	7
	do	10	S 45 E	12
	do	10	N 72 W	31
	do	10	S 28 W	12
	do	11	N 30 E	45
	do	8	N 44 W	6
	do	14	S 72 E	21

Anterior Quarter Section Corners described

From & to	Bearing lines	Inches diam.	Courses	Links
1 to 2 at 1	Beach	6	N 4 E	11
2 to 3 at 1	do	18	S 26 E	23
3 to 4 at 1	do	9	N 50 E	6
4 to 5 at 1	do	14	S 66 W	23
5 to 6 at 1	do	9	N 38 W	19
6 to 7 at 1	do	12	N 58 E	25
7 to 8 at 1	do	12	N 38 E	26
8 to 9 at 1	do	14	N 30 W	32
9 to 10 at 1	do	14	N 62 E	15
10 to 11 at 1	do	30	S 8 E	20
11 to 12 at 1	do	14	N 23 E	23
12 to 13 at 1	do	7	S 60 W	16
13 to 14 at 1	do	11	N 50 W	11
14 to 15 at 1	do	8	S 74 E	10
15 to 16 at 1	do	7	N 70 W	7
16 to 17 at 1	do	12	S 81 E	12
17 to 18 at 1	do	9	S 59 W	22
18 to 19 at 1	do	20	N 2 W	14
19 to 20 at 1	do	12	N 9 W	18
20 to 21 at 1	do	27	S 25 W	17
21 to 22 at 1	do	9	N 56 W	16
22 to 23 at 1	do	6	S 46 E	13
23 to 24 at 1	do	11	N 29 W	23
24 to 25 at 1	do	14	N 82 E	28
25 to 26 at 1	do	36	N 60 W	2
26 to 27 at 1	do	5	N 62 E	21
27 to 28 at 1	do	3	-	18
28 to 29 at 1	do	6	N 79 E	9
29 to 30 at 1	do	8	N 82 E	11
30 to 31 at 1	do	6	S 54 W	24
31 to 32 at 1	do	22	N 48 E	9
32 to 33 at 1	do	3	S 82 W	8
33 to 34 at 1	do	12	N 83 W	21
34 to 35 at 1	do	12	S 46 E	25
35 to 36 at 1	do	13	N 10 W	12
36 to 37 at 1	do	4	S 30 E	8

Anterior Quarter Section Corners described

From & to	Bearing lines	Inches diam.	Courses	Links
1 to 2 at 1	Doanwood	5	N 46 E	19
2 to 3 at 1	do	15	S 4 E	13
3 to 4 at 1	do	16	N 61 W	33
4 to 5 at 1	do	17	S 71 E	28
5 to 6 at 1	do	30	S 11 W	15
6 to 7 at 1	do	4	N 7 E	16
7 to 8 at 1	do	14	East	4
8 to 9 at 1	do	12	S 51 W	39
9 to 10 at 1	do	7	S 61 W	13
10 to 11 at 1	do	17	S 73 E	19
11 to 12 at 1	do	13	S 17 E	24
12 to 13 at 1	do	30	N 51 E	20
13 to 14 at 1	do	8	S 40 E	21
14 to 15 at 1	do	5	N 21 W	18
15 to 16 at 1	do	15	N 29 W	10
16 to 17 at 1	do	16	S 29 E	8
17 to 18 at 1	do	18	S 29 W	20
18 to 19 at 1	do	12	N 56 W	20
19 to 20 at 1	do	13	N 86 W	9
20 to 21 at 1	do	10	N 80 E	15
21 to 22 at 1	do	7	S 14 W	8
22 to 23 at 1	do	12	N 35 E	32
23 to 24 at 1	do	4	N 88 E	17
24 to 25 at 1	do	14	S 60 W	21
25 to 26 at 1	do	9	N 19 W	11
26 to 27 at 1	do	9	S 13 W	30
27 to 28 at 1	do	12	S 53 E	7
28 to 29 at 1	do	12	S 67 W	11
29 to 30 at 1	do	3	S 28 W	82
30 to 31 at 1	do	3	S 85 E	11
31 to 32 at 1	do	36	N 70 W	14
32 to 33 at 1	do	16	N 47 E	14
33 to 34 at 1	do	32	N 51 W	9
34 to 35 at 1	do	17	S 75 E	29
35 to 36 at 1	do	18	N 35 E	5
36 to 37 at 1	do	12	S 83 W	28
37 to 38 at 1	do	8	S 54 E	7
38 to 39 at 1	do	11	N 25 W	23
39 to 40 at 1	do	17	S 7 W	25
40 to 41 at 1	do	17	N 70 E	10
41 to 42 at 1	do	18	S 35 W	37
42 to 43 at 1	do	7	N 21 E	4
43 to 44 at 1	do	12	S 60 W	35
44 to 45 at 1	do	12	S 75 E	15
45 to 46 at 1	do	15	N 60 W	33
46 to 47 at 1	do	20	N 34 W	15
47 to 48 at 1	do	25	S 84 E	13
48 to 49 at 1	do	6	S 30 E	6
49 to 50 at 1	do	30	N 72 W	4
50 to 51 at 1	do	9	S 60 W	7
51 to 52 at 1	do	24	S 61 E	18
52 to 53 at 1	do	44	N 56 E	25
53 to 54 at 1	do	9	S 23 W	7
54 to 55 at 1	do	12	S 70 E	23
55 to 56 at 1	do	11	S 17 W	18
56 to 57 at 1	do	25	N 52 E	10
57 to 58 at 1	do	17	S 16 W	20
58 to 59 at 1	do	16	N 21 E	13
59 to 60 at 1	do	7	N 30 E	18
60 to 61 at 1	do	6	S 34 W	6
61 to 62 at 1	do	12	S 62 E	15
62 to 63 at 1	do	10	N 34 W	15
63 to 64 at 1	do	6	N 83 E	24
64 to 65 at 1	do	15	S 24 W	24
65 to 66 at 1	do	8	S 80 E	11
66 to 67 at 1	do	12	S 11 W	7
67 to 68 at 1	do	12	S 24 W	13
68 to 69 at 1	do	18	N 25 W	9
69 to 70 at 1	do	10	N 14 E	2
70 to 71 at 1	do	30	S 32 E	5
71 to 72 at 1	do	8	S 43 E	18
72 to 73 at 1	do	10	N 23 E	23
73 to 74 at 1	do	30	S 7 E	17
74 to 75 at 1	do	30	N 69 W	15
75 to 76 at 1	do	14	S 60 W	20
76 to 77 at 1	do	15	N 89 E	13
77 to 78 at 1	do	7	S 16 E	14
78 to 79 at 1	do	3	N 70 E	13
79 to 80 at 1	do	30	N 60 W	23
80 to 81 at 1	do	6	N 35 E	30
81 to 82 at 1	do	12	corner	-
82 to 83 at 1	do	16	West	34
83 to 84 at 1	do	15	S 30 E	10
84 to 85 at 1	do	30	N 55 W	37
85 to 86 at 1	do	16	S 71 E	32
86 to 87 at 1	do	23	S 11 W	14
87 to 88 at 1	do	12	N 18 E	22
88 to 89 at 1	do	6	N 61 E	17
89 to 90 at 1	do	15	S 88 W	32
90 to 91 at 1	do	18	N 65 W	13
91 to 92 at 1	do	19	S 37 E	25



See page 5

Pursuant to a contract with and Instructions from Jacob Marshfield, Esq. Surveyor General of the United States bearing date the day of
 I have admeasured laid out and surveyed the above described township and do certify that it had such Marks and bounds both natural and artificial
 as are represented on said plat and described in the field notes made thereof and returned with this plat into the Surveyor General's office
 Witness this 2nd day of March 1816


53

INDIANA.
N & W 2 P. M.

173	75	
173	75	
177	58	
176	60	N
161	77	✓
85	80	✓
151	92	✓
320		✓
314	24	✓
320	-	✓
247	79	✓
3	60	✓
57	07	✓
151	15	✓
152	60	✓
170	41	✓
<hr/>		
2980.43		

Total Quantity $\frac{c}{s} \text{ cons. } \frac{b}{m}$
1.552.28

81.43
3060.43



Description of Township No 10 North, Range No 2 West of 2nd Meridian.

Section & quarter section Corners						Elevations Corners					Quality of the Soil &c	
	Posts	Bearing lines &	Length across the bear	Course they bear	Acc. dist.	Feet					Between sections	
2. 2. 3 10. 11.	—	Buck —	10	N 64 W	10	D	Hickory	10	S 66 E	9	3 & 4	Broken 2 ^d rate. Oak;
		Do —	33	S 23 E	12		Poplar	14	S 75 W	12	10-11	Buck, sugar, Hickory &c
												April 2 ^d rate. Sugar, Ash &c
P. to E. at	6	Buck —	20	N 34 W	15	E	Sugar	17	S 46 W	7	3-10	Same —
		Do —	29	S 44 E	13		Buck	17	N 67 E	15	2-3	Broken 2 ^d rate. Tim. Same
I. to X. at	1	Dogwood	3	N 46 E	19	F	Ash	32	S 66 W	7	12-13	Broken 3 ^d rate. Oak, Buck,
		Buck	15	S 4 E	13		Do	32	N 49 E	27		Hickory, Ash, Spruce &c
O. to P. at	5	Poplar	32	N 51 W	9	G					11-12	Same
		Buck	17	S 75 E	29						2-11	Same
1. 2. 11. 12.	—	Buck —	14	N 20 W	25	H	Buck	17	S 55 E	11	1-12	Broken 2 ^d rate. Sugar
		Do —	17	S 79 E	19		Do	22	N 47 W	27		Poplar, Buck, Ash Oak &c
H. to Y. at	2	Buck —	15	N 29 W	10	I	Hornbeam	14	N 36 E	10	1-2	Same
		Do —	16	S 29 E	9		Yew	17	S 17 W	9		
H. to Y. at	1	Dogwood	9	S 40 E	21		Sugar	18	N 45 W	13		
		Buck	5	N 21 W	19		Beech	19	S 39 E	25		
O. to P. at	6	Buck —	17	N 35 E	5		Beech	6	N 61 E	17		
		Do —	12	S 73 W	29		do	15	S 88 W	32		
							Ash	23	S 31 W	14		
							Beech	12	N 13 W	22		
							Beech	36	N 55 W	37		
							do	16	S 71 E	23		
							Beech	16	N 25 W	34		
							do	15	S 50 E	10		
							Beech	10	S 61 W	19		
							do	14	N 43 W	32		
							Beech	13	N 30 E	10		
							do	16	S 44 W	29		

to Chains to add with


10

A true copy from the Original, on file in this Office.

Strong's Lyndal Office, March 2^d 1820 -

Robert L. Allen, Jr. Secy.

Township N^o 10 North, Range N^o 2 West, 2nd Mer.




Surveyed in 1816 by William Harris Deputy Surveyor.

I certify that the above is a true copy of the recorded plat in this Office.

Surveyor General's Office.
Cincinnati, Sept. 9, 1837

Robert J. Lytle

T. 10 N. R. 2 W. 2nd Mer. ✓





ent. 2. 1/2 off vol. 1 p. 162. C

The foregoing sub-divisions of fractional section
are truly copied from the original plat in this Office
Surveyor General's Office
Cincinnati Jan'y. 20. 1834.

M. T. Williams
Surv. Genl.


Copy?

T. 10 & R. 2 N. 2nd Mer.



Indiana Vol. 4. C. 110 L. C.


The foregoing subdivisions of fractional sections
are truly copies from the Original Plat in this office.
Surveyor General's Office.
Cincinnati Nov. 24. 1833. } M. T. Williams
Sur. Genl.



Comp.

The foregoing subdivisions of fractional sections are truly
 copied from the original plat in this Office.
 Surveyor General's Office
 Cincinnati Nov. 27, 1833 M. T. Williams
 Sur. Genl.

Township No. 10 North Range No. 2 West of Second Principal Meridian




Pursuant to a contract made and in instructions from Isaac Mansfield Esq. Surveyor General of the United States bearing date this day of
 I have adorned and laid out and surveyed the above described Township and do certify that it had such marks and bounds both natural and artificial
 as are represented on said plat and described in the field notes made thereof and returned with this plat into the Surveyor General's office
 Witness this 27 day of March 1816
 William Warren Esq.

Pursuant to a Contract with and instructions from Jacob Mansfield Esq. Surveyor General of the United States bearing date the day of
I have adorned and laid out and surveyed the above described Township and do Certify that it had such marks and bounds both natural and artificial
as are represented on said plat and described in the field notes made thereof and returned with this plat into the Surveyor General's office
Certified this 27 day of March 1816
William Harris De.

Township N^o X North, Range N^o II West of 2nd Meridian.

35



Description of Township N^o 10 North, Range N^o 2 West of 2nd Meridian

Section & quarter section corners						Exterior corners				Quality of the soil &c	
	North	Bearing	Distance	Course	Dist	Section	Bearing	Distance	Course	Between sections	
Sec 2, 3, 10, 11.		Buck	10	N 64 W	10	D	Hickory	10	S 66 E	3 & 4	Broken 2 ^d rate, Oak,
		Do	33	S 23 E	12		Poplar	14	S 75 W		Buck, Sugar, Hickory &c
Pt E at 6		Buck	20	N 34 W	15	E	Sugar	17	S 46 W	10-11	Good 2 ^d rate, Sugar, Ash &c
		Do	24	S 44 E	13		Buck	19	N 64 E	3-10	Same
I to X at 1		Dogwood	3	N 46 E	19	F	Ash	32	S 66 W	2-3	Broken 2 ^d rate, Tim. Same
		Buck	15	S 4 E	13		Do	32	N 49 E	12-13	Broken 3 ^d rate, Oak, Buck,
O to F at 5		Poplar	32	N 51 W	9	G					Hickory, Ash, Spruce &c
		Buck	17	S 75 E	29					11-12	Same
1, 2, 11, 12		Buck	14	N 20 W	25	H	Buck	18	S 55 E	2-11	Same
		Do	19	S 79 E	13		Do	22	N 47 W	1-12	Broken 2 ^d rate, Sugar,
H to Y at 2		Buck	15	N 29 W	10	I	Hornbeam	14	N 36 E		Poplar, Buck, Ash, Oak &c
		Do	16	S 29 E	4		Locust	19	S 17 W	1-2	Same
H to Y at 1		Dogwood	9	S 40 E	21		Sugar	18	N 65 W		
		Buck	5	N 21 W	19		Poplar	19	S 39 E		
O to F at 6		Buck	19	N 35 E	5		Buck	16	N 61 E		
		Do	12	S 43 W	23		Do	15	S 88 W		
							Ash	23	S 31 W		
							Buck	12	N 13 W		
							Buck	30	N 55 W		
							Do	16	S 71 E		
							Buck	16	N 62 E		
							Do	15	S 34 E		
							Buck	10	S 64 W		
							Do	14	N 48 W		
							Buck	23	N 35 E		
							Do	14	S 44 W		

A true copy from the Original, on file in this office.
 Surveyor General's Office, March 2nd 1825